

PRODUCT DESCRIPTION

SPECIFICATION

People	4 persons
Frame	Spruce
Shape	Rectangle
Room	2
Sauna area	3.50m ²
Total height	2656mm
Exterior Cladding	21mm
Interior Cladding	15mm
Wall thickness	169mm
Insulation	100mm
External dimension	2190x3265mm
Outside door size	800x2050mm
Inside door size	800x2000mm
Metal frame (can be operated with forklift)	2110x3185mm



BASIC

Materials

- Wall Alder STP 15x90mm AB
- Bench Alder 28x90mm
- Floor Alder rest on waterproof plywood

Cilindro PLus PP90

Safety railing for Cilindro Plus

XAFIR CS110 control unit for Cilindro Plus

Accessories

- A-500-B Sauna bucket
- Thermo-/hygrometer wooden
- Wooden hourglass wooden

Lighting

- Spotlight in vestibule
- Outdoor light
- 2 LED strip light (under upper bench and backrest) without dimmer


Glass door with lock- opaque 8mm tempered glass

Terrace wood plastic composite 1 side and one wooden grille





KUUT Electric SAUNA L B A S I C



DELIVERY

Size of pallets (LxWxH)	2200x3270mm H=2500mm
Weight	1200kg

Sauna 2,19x3,185m is delivered to the customer **assembled**.

FLOOR STRUCTURE

- Floor finish 21mm
- Plywood 20mm
- Metal frame with insulation 100x150x6

WALL STRUCTURE

- Wall finish 15mm
- Air gap 18mm and aluminum paper
- Wood construction 45x95mm with insulation 100mm
- Air gap 20mm
- Finishing wood 21x195mm

CEILING STRUCTURE

- Ceiling finish 15mm sauna paneling
- Air gap 18mm and aluminum paper
- Wood construction 95x45mm with insulation 100mm
- Air gap 22mm
- OSB 19mm
- PVC roof cover

HEATER

Harvia
Cilindro Plus PP90
Ø310x1020m



SAFETY

Safety railing
for the Cilindro Plus sauna heater
HP33 Ø520mm



CONTROL UNIT FOR CILINDRO PLUS HEATER

Harvia XAFIR CS110
30x147x50mm



ACCESSORIES

A-500-B
Sauna bucket



ACCESSORIES

Sentiotec thermometer
and hygrometer
A-210-THW




ACCESSORIES

Sentiotec Wooden hourglass
552-EP






KUUT Electric SAUNA L B A S I C



LIGHTING

Spotlight LED GTV, 3W, 4000K, ORIS lamp
LD-ORW03W-NB-E
Ø90mmx12mm (25mm)



OUTDOOR LIGHTING

ELED-631, 6W, LED, IP54
105x120x160mm



LIGHTING

LED strip light
24V, 5W/m, 3000K



ELECTRICITY

Power plug 16A IP44



DOOR

2x Glass door
2000x800mm
2050x800mm

